


최고의 품질, 쾌적한 환경
팬직 디퓨저 & 후드캡



| 디퓨저 _ Diffuser

일반형 디퓨저


특 징 CHARACTERISTICS

- 재질: 철
- 색상: 백색
- 풍량조절: 중앙 핸들 조작

용 도 USAGES

- 사무실, 일반 가정, 점포 등의 배기
- 음식점, 작업장의 배기


각형 디퓨저 SQUARE DIFFUSER



DIMENSIONS

MODEL	N	A	C	H	P
FD-SQ100P/H	95	303	260	60	45
FD-SQ125P/H	120	303	260	60	45
FD-SQ150P/H	145	303	260	60	45
FD-SQ200P/H	195	303	260	60	45


원형 디퓨저 ROUND DIFFUSER



DIMENSIONS

MODEL	N	A	C	H	P
FD-RO100P/H	95	320	260	60	45
FD-RO125P/H	120	320	260	60	45
FD-RO150P/H	145	320	260	60	45
FD-RO200P/H	195	320	260	60	45

각원형 디퓨저 SQUARE ROUND DIFFUSER




DIMENSIONS

MODEL	N	A	C	H	P
FD-SR100P/H	95	303	260	60	45
FD-SR125P/H	120	303	260	60	45
FD-SR150P/H	145	303	260	60	45
FD-SR200P/H	195	303	260	60	45

팬형 디퓨저


원팬형 디퓨저 ROUND PLAQUE DIFFUSER



DIMENSIONS

MODEL	N	A	C	H	P
FD-RP100P/H	95	320	260	60	45
FD-RP125P/H	120	320	260	60	45
FD-RP150P/H	145	320	260	60	45
FD-RP200P/H	195	320	260	60	45

각원판형 디퓨저 SQUARE PLAQUE DIFFUSER




DIMENSIONS

MODEL	N	A	C	H	P
FD-SP100P/H	95	303	260	60	45
FD-SP125P/H	120	303	260	60	45
FD-SP150P/H	145	303	260	60	45
FD-SP200P/H	195	303	260	60	45

노즐형 디퓨저


원형 노즐 디퓨저 ROUND NOZZLE DIFFUSER



DIMENSIONS

MODEL	N	A	C	H	P
FD-RN100P/H	95	320	260	60	45
FD-RN125P/H	120	320	260	60	45
FD-RN150P/H	145	320	260	60	45
FD-RN200P/H	195	320	260	60	45


각형 노즐 디퓨저 SQUARE NOZZLE DIFFUSER



DIMENSIONS

MODEL	N	A	C	H	P
FD-SN100P/H	95	303	260	60	45
FD-SN125P/H	120	303	260	60	45
FD-SN150P/H	145	303	260	60	45
FD-SN200P/H	195	303	260	60	45

시보리 노즐 디퓨저 NOZZLE DIFFUSER



DIMENSIONS

MODEL	A	B	C	D
FD-NO125P/H	120	173	100	60
FD-NO150P/H	145	198	100	60
FD-NO200P/H	195	248	100	60

| 후드캡 _ Hood cap


특 징 CHARACTERISTICS

- 재질: SUS 304
- 습기에 강한 ALL SUS 재질
- 방충망 설치로 곤충 침입 방지
- 삼각 스냅링 설계로 고정력 강화


용 도 USAGES

- 외벽 배기구의 마감
- 공기창

원형 후드캡 ROUND HOOD CAP



방충망 설치로 곤충 침입 방지



삼각 스냅링 고정력 강화

DIMENSIONS

MODEL	A	B	C
FH-RM75	35	71	125
FH-RM100	40	98	145
FH-RM125	40	120	145
FH-RM150	48	148	175
FH-RM200	65	195	235
FH-RM250	80	245	340
FH-RM300	80	295	340

본사 | 제 1 공장

경기 화성시 장안면 3.1만세로 382-7 (구. 수촌리 911-8)
T 031.358.9201~4 F 031.358.9205

영남 지사

경남 밀양시 상동면 상동로 898 (구. 고정리 1953-1)
T 055.388.6656 F 055.388.6605

제 2 공장

경기 화성시 장안면 3.1만세로 382-16 (구. 수촌리 911-5)
T 031.358.9201~4 F 031.358.9205

경기 지사

경기 안산시 단원구 광덕4로 220, 510호 (구. 고잔동 729)
T 031.487.9670~4 F 031.487.9675